


**RAW SEQUENCE LISTING  
ERROR REPORT**

BIOTECHNOLOGY  
SYSTEMS  
BRANCH



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/083,336  
Source: OIPE  
Date Processed by STIC: 3/14/02

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: [patin21help@uspto.gov](mailto:patin21help@uspto.gov) or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: [patin3help@uspto.gov](mailto:patin3help@uspto.gov) or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER  
VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND  
TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
3. Hand Carry directly to:  
U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7<sup>th</sup> Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202  
Or  
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002

# Raw Sequence Listing Error Summary

01PE

SERIAL NUMBER: 10/083,336

## ERROR DETECTED

## SUGGESTED CORRECTION

ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE

- 1      Wrapped Nucleics  
    Wrapped Aminos  
The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."
- 2      Invalid Line Length  
The rules require that a line not exceed 72 characters in length. This includes white spaces.
- 3      Misaligned Amino  
    Numbering  
The numbering under each 5<sup>th</sup> amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.
- 4      Non-ASCII  
The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.
- 5      Variable Length  
Sequence(s)      contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.
- 6      PatentIn 2.0  
    "bug"  
A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s)     . Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.
- 7      Skipped Sequences  
    (OLD RULES)  
Sequence(s)      missing. If intentional, please insert the following lines for each skipped sequence:  
(2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)  
(i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading)  
(xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)  
This sequence is intentionally skipped  
  
Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.
- 8      Skipped Sequences  
    (NEW RULES)  
Sequence(s)      missing. If intentional, please insert the following lines for each skipped sequence.  
<210> sequence id number  
<400> sequence id number  
000
- 9      Use of n's or Xaa's  
    (NEW RULES)  
Use of n's and/or Xaa's have been detected in the Sequence Listing.  
Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present.  
In <220> to <223> section, please explain location of n or Xaa; and which residue n or Xaa represents.
- 10      Invalid <213>  
    Response  
Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown or is Artificial Sequence
- 11    Use of <220>  
Sequence(s)    missing the <220> "Feature" and associated numeric identifiers and responses.  
Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section.  
(See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)
- 12      PatentIn 2.0  
    "bug"  
Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
- 13      Misuse of n  
n can only be used to represent a single nucleotide in a nucleic acid sequence. N is not used to represent any value not specifically a nucleotide.



OIPE

Does Not Comply  
Corrected Diskette Needed

RAW SEQUENCE LISTING  
PATENT APPLICATION: US/10/083,336

DATE: 03/14/2002  
TIME: 12:14:28

Error on p. 7

Input Set : A:\Ricin.app  
Output Set: N:\CRF3\03142002\J083336.raw

```

3 <110> APPLICANT: Olson, Mark A
4      Millard, Charles B
5      Byrne, Michael P
6      Wannemacher, Robert W
7      LeClaire, Ross D
9 <120> TITLE OF INVENTION: Ricin Vaccine and Methods of Making and Using Thereof
11 <130> FILE REFERENCE: P67452US0 (RIID 01-58)
C--> 13 <140> CURRENT APPLICATION NUMBER: US/10/083,336
C--> 14 <141> CURRENT FILING DATE: 2002-02-27
16 <160> NUMBER OF SEQ ID NOS: 15
18 <170> SOFTWARE: PatentIn Ver. 2.1
20 <210> SEQ ID NO: 1
21 <211> LENGTH: 576
22 <212> TYPE: PRT
23 <213> ORGANISM: Ricinus communis
25 <400> SEQUENCE: 1
26 Met Lys Pro Gly Gly Asn Thr Ile Val Ile Trp Met Tyr Ala Val Ala
27   1          5          10          15
29 Thr Trp Leu Cys Phe Gly Ser Thr Ser Gly Trp Ser Phe Thr Leu Glu
30   20          25          30
32 Asp Asn Asn Ile Phe Pro Lys Gln Tyr Pro Ile Ile Asn Phe Thr Thr
33   35          40          45
35 Ala Gly Ala Thr Val Gln Ser Tyr Thr Asn Phe Ile Arg Ala Val Arg
36   50          55          60
38 Gly Arg Leu Thr Thr Gly Ala Asp Val Arg His Glu Ile Pro Val Leu
39   65          70          75          80
41 Pro Asn Arg Val Gly Leu Pro Ile Asn Gln Arg Phe Ile Leu Val Glu
42   85          90          95
44 Leu Ser Asn His Ala Glu Leu Ser Val Thr Leu Ala Leu Asp Val Thr
45   100         105         110
47 Asn Ala Tyr Val Val Gly Tyr Arg Ala Gly Asn Ser Ala Tyr Phe Phe
48   115         120         125
50 His Pro Asp Asn Gln Glu Asp Ala Glu Ala Ile Thr His Leu Phe Thr
51   130         135         140
53 Asp Val Gln Asn Arg Tyr Thr Phe Ala Phe Gly Gly Asn Tyr Asp Arg
54   145         150         155         160
56 Leu Glu Gln Leu Ala Gly Asn Leu Arg Glu Asn Ile Glu Leu Gly Asn
57   165         170         175
59 Gly Pro Leu Glu Glu Ala Ile Ser Ala Leu Tyr Tyr Tyr Ser Thr Gly
60   180         185         190
62 Gly Thr Gln Leu Pro Thr Leu Ala Arg Ser Phe Ile Ile Cys Ile Gln
63   195         200         205
65 Met Ile Ser Glu Ala Ala Arg Phe Gln Tyr Ile Glu Gly Glu Met Arg

```

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/083,336

DATE: 03/14/2002

TIME: 12:14:28

Input Set : A:\Ricin.app

Output Set: N:\CRF3\03142002\J083336.raw

```

66      210      215      220
68 Thr Arg Ile Arg Tyr Asn Arg Arg Ser Ala Pro Asp Pro Ser Val Ile
69 225      230      235      240
71 Thr Leu Glu Asn Ser Trp Gly Arg Leu Ser Thr Ala Ile Gln Glu Ser
72      245      250      255
74 Asn Gln Gly Ala Phe Ala Ser Pro Ile Gln Leu Gln Arg Arg Asn Gly
75      260      265      270
77 Ser Lys Phe Ser Val Tyr Asp Val Ser Ile Leu Ile Pro Ile Ile Ala
78      275      280      285
80 Leu Met Val Tyr Arg Cys Ala Pro Pro Pro Ser Ser Gln Phe Ser Leu
81      290      295      300
83 Leu Ile Arg Pro Val Val Pro Asn Phe Asn Ala Asp Val Cys Met Asp
84 305      310      315      320
86 Pro Glu Pro Ile Val Arg Ile Val Gly Arg Asn Gly Leu Cys Val Asp
87      325      330      335
89 Val Arg Asp Gly Arg Phe His Asn Gly Asn Ala Ile Gln Leu Trp Pro
90      340      345      350
92 Cys Lys Ser Asn Thr Asp Ala Asn Gln Leu Trp Thr Leu Lys Arg Asp
93      355      360      365
95 Asn Thr Ile Arg Ser Asn Gly Lys Cys Leu Thr Thr Tyr Gly Tyr Ser
96      370      375      380
98 Pro Gly Val Tyr Val Met Ile Tyr Asp Cys Asn Thr Ala Ala Thr Asp
99 385      390      395      400
101 Ala Thr Arg Trp Gln Ile Trp Asp Asn Gly Thr Ile Ile Asn Pro Arg
102      405      410      415
104 Ser Ser Leu Val Leu Ala Ala Thr Ser Gly Asn Ser Gly Thr Thr Leu
105      420      425      430
107 Thr Val Gln Thr Asn Ile Tyr Ala Val Ser Gln Gly Trp Leu Pro Thr
108      435      440      445
110 Asn Asn Thr Gln Pro Phe Val Thr Thr Ile Val Gly Leu Tyr Gly Leu
111      450      455      460
113 Cys Leu Gln Ala Asn Ser Gly Gln Val Trp Ile Glu Asp Cys Ser Ser
114 465      470      475      480
116 Glu Lys Ala Glu Gln Gln Trp Ala Leu Tyr Ala Asp Gly Ser Ile Arg
117      485      490      495
119 Pro Gln Gln Asn Arg Asp Asn Cys Leu Thr Ser Asp Ser Asn Ile Arg
120      500      505      510
122 Glu Thr Val Val Lys Ile Leu Ser Cys Gly Pro Ala Ser Ser Gly Gln
123      515      520      525
125 Arg Trp Met Phe Lys Asn Asp Gly Thr Ile Leu Asn Leu Tyr Ser Gly
126      530      535      540
128 Leu Val Leu Asp Val Arg Ala Ser Asp Pro Ser Leu Lys Gln Ile Ile
129 545      550      555      560
131 Leu Tyr Pro Leu His Gly Asp Pro Asn Gln Ile Trp Leu Pro Leu Phe
132      565      570      575
138 <210> SEQ ID NO: 2
139 <211> LENGTH: 179
140 <212> TYPE: PRT
141 <213> ORGANISM: Ricinus communis

```

RAW SEQUENCE LISTING  
 PATENT APPLICATION: US/10/083,336

DATE: 03/14/2002  
 TIME: 12:14:28

Input Set : A:\Ricin.app  
 Output Set: N:\CRF3\03142002\J083336.raw

143 <400> SEQUENCE: 2  
 144 Met Lys Pro Gly Gly Asn Thr Ile Val Ile Trp Met Tyr Ala Val Ala  
 145 1 5 10 15  
 147 Thr Trp Leu Cys Phe Gly Ser Thr Ser Gly Trp Ser Phe Thr Leu Glu  
 148 20 25 30  
 150 Asp Asn Asn Ile Phe Pro Lys Gln Tyr Pro Ile Ile Asn Phe Thr Thr  
 151 35 40 45  
 153 Ala Gly Ala Thr Val Gln Ser Tyr Thr Asn Phe Ile Arg Ala Val Arg  
 154 50 55 60  
 156 Gly Arg Leu Thr Thr Gly Ala Asp Val Arg His Glu Ile Pro Val Leu  
 157 65 70 75 80  
 159 Pro Asn Arg Val Gly Leu Pro Ile Asn Gln Arg Phe Ile Leu Val Glu  
 160 85 90 95  
 162 Leu Ser Asn His Ala Glu Leu Ser Val Thr Leu Ala Leu Asp Val Thr  
 163 100 105 110  
 165 Asn Ala Tyr Val Val Gly Tyr Arg Ala Gly Asn Ser Ala Tyr Phe Phe  
 166 115 120 125  
 168 His Pro Asp Asn Gln Glu Asp Ala Glu Ala Ile Thr His Leu Phe Thr  
 169 130 135 140  
 171 Asp Val Gln Asn Arg Tyr Thr Phe Ala Phe Gly Gly Asn Tyr Asp Arg  
 172 145 150 155 160  
 174 Leu Glu Gln Leu Ala Gly Asn Leu Arg Glu Asn Ile Glu Leu Gly Asn  
 175 165 170 175  
 177 Gly Pro Leu  
 181 <210> SEQ ID NO: 3  
 182 <211> LENGTH: 198  
 183 <212> TYPE: PRT  
 184 <213> ORGANISM: Ricinus communis  
 186 <400> SEQUENCE: 3  
 187 Ile Phe Pro Lys Gln Tyr Pro Ile Ile Asn Phe Thr Thr Ala Gly Ala  
 188 1 5 10 15  
 190 Thr Val Gln Ser Tyr Thr Asn Phe Ile Arg Ala Val Arg Gly Arg Leu  
 191 20 25 30  
 193 Thr Thr Gly Ala Asp Val Arg His Glu Ile Pro Val Leu Pro Asn Arg  
 194 35 40 45  
 196 Val Gly Leu Pro Ile Asn Gln Arg Phe Ile Leu Val Glu Leu Ser Asn  
 197 50 55 60  
 199 His Ala Glu Leu Ser Val Thr Leu Ala Leu Asp Val Thr Asn Ala Tyr  
 200 65 70 75 80  
 202 Val Val Gly Tyr Arg Ala Gly Asn Ser Ala Tyr Phe Phe His Pro Asp  
 203 85 90 95  
 205 Asn Gln Glu Asp Ala Glu Ala Ile Thr His Leu Phe Thr Asp Val Gln  
 206 100 105 110  
 208 Asn Arg Tyr Thr Phe Ala Phe Gly Asn Tyr Asp Arg Leu Glu Gln  
 209 115 120 125  
 211 Leu Ala Gly Asn Leu Arg Glu Asn Ile Glu Leu Gly Asn Gly Pro Leu  
 212 130 135 140  
 214 Glu Glu Ala Ile Ser Ala Leu Tyr Tyr Tyr Ser Thr Gly Gly Thr Gln  
 215 145 150 155 160

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/083,336

DATE: 03/14/2002

TIME: 12:14:28

Input Set : A:\Ricin.app

Output Set: N:\CRF3\03142002\J083336.raw

```

217 Leu Pro Thr Leu Ala Arg Ser Phe Ile Ile Cys Ile Gln Met Ile Ser
218                               165                               170                               175
220 Glu Ala Ala Arg Phe Gln Tyr Ile Glu Gly Glu Met Arg Thr Arg Ile
221                               180                               185                               190
223 Arg Tyr Asn Arg Arg Ser
224                               195
227 <210> SEQ ID NO: 4
228 <211> LENGTH: 188
229 <212> TYPE: PRT
230 <213> ORGANISM: Ricinus communis
232 <400> SEQUENCE: 4
233 Ile Phe Pro Lys Gln Tyr Pro Ile Ile Asn Phe Thr Thr Ala Gly Ala
234 1                               5                               10                               15
236 Thr Val Gln Ser Tyr Thr Asn Phe Ile Arg Ala Val Arg Gly Arg Leu
237                               20                               25                               30
239 Thr Val Leu Pro Asn Arg Val Gly Leu Pro Ile Asn Gln Arg Phe Ile
240                               35                               40                               45
242 Leu Val Glu Leu Ser Asn His Ala Glu Leu Ser Val Thr Leu Ala Leu
243 50                               55                               60
245 Asp Val Thr Asn Ala Tyr Val Val Gly Tyr Arg Ala Gly Asn Ser Ala
246 65                               70                               75                               80
248 Tyr Phe Phe His Pro Asp Asn Gln Glu Asp Ala Glu Ala Ile Thr His
249                               85                               90                               95
251 Leu Phe Thr Asp Val Gln Asn Arg Tyr Thr Phe Ala Phe Gly Gly Asn
252                               100                              105                              110
254 Tyr Asp Arg Leu Glu Gln Leu Ala Gly Asn Leu Arg Glu Asn Ile Glu
255                               115                              120                              125
257 Leu Gly Asn Gly Pro Leu Glu Glu Ala Ile Ser Ala Leu Tyr Tyr Tyr
258 130                              135                              140
260 Ser Thr Gly Gly Thr Gln Leu Pro Thr Leu Ala Arg Ser Phe Ile Ile
261 145                              150                              155                              160
263 Cys Ile Gln Met Ile Ser Glu Ala Ala Arg Phe Gln Tyr Ile Glu Gly
264                               165                               170                               175
266 Glu Met Arg Thr Arg Ile Arg Tyr Asn Arg Arg Ser
267                               180                               185
270 <210> SEQ ID NO: 5
271 <211> LENGTH: 199
272 <212> TYPE: PRT
273 <213> ORGANISM: Ricinus communis
275 <400> SEQUENCE: 5
276 Met Ile Phe Pro Lys Gln Tyr Pro Ile Ile Asn Phe Thr Thr Ala Gly
277 1                               5                               10                               15
279 Ala Thr Val Gln Ser Tyr Thr Asn Phe Ile Arg Ala Val Arg Gly Arg
280                               20                               25                               30
282 Leu Thr Thr Gly Ala Asp Val Arg His Glu Ile Pro Val Leu Pro Asn
283 35                               40                               45
285 Arg Val Gly Leu Pro Ile Asn Gln Arg Phe Ile Leu Val Glu Leu Ser
286 50                               55                               60
288 Asn His Ala Glu Leu Ser Val Thr Leu Ala Leu Asp Val Thr Asn Ala

```

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/083,336

DATE: 03/14/2002

TIME: 12:14:28

Input Set : A:\Ricin.app

Output Set: N:\CRF3\03142002\J083336.raw

```

289 65              70              75              80
291 Tyr Val Val Gly Tyr Arg Ala Gly Asn Ser Ala Tyr Phe Phe His Pro
292              85              90              95
294 Asp Asn Gln Glu Asp Ala Glu Ala Ile Thr His Leu Phe Thr Asp Val
295              100              105              110
297 Gln Asn Arg Tyr Thr Phe Ala Phe Gly Gly Asn Tyr Asp Arg Leu Glu
298              115              120              125
300 Gln Leu Ala Gly Asn Leu Arg Glu Asn Ile Glu Leu Gly Asn Gly Pro
301              130              135              140
303 Leu Glu Glu Ala Ile Ser Ala Leu Tyr Tyr Tyr Ser Thr Gly Gly Thr
304 145              150              155              160
306 Gln Leu Pro Thr Leu Ala Arg Ser Phe Ile Ile Cys Ile Gln Met Ile
307              165              170              175
309 Ser Glu Ala Ala Arg Phe Gln Tyr Ile Glu Gly Glu Met Arg Thr Arg
310              180              185              190
312 Ile Arg Tyr Asn Arg Arg Ser
313              195
316 <210> SEQ ID NO: 6
317 <211> LENGTH: 189
318 <212> TYPE: PRT
319 <213> ORGANISM: Ricinus communis
321 <400> SEQUENCE: 6
322 Met Ile Phe Pro Lys Gln Tyr Pro Ile Ile Asn Phe Thr Thr Ala Gly
323 1              5              10              15
325 Ala Thr Val Gln Ser Tyr Thr Asn Phe Ile Arg Ala Val Arg Gly Arg
326              20              25              30
328 Leu Thr Val Leu Pro Asn Arg Val Gly Leu Pro Ile Asn Gln Arg Phe
329              35              40              45
331 Ile Leu Val Glu Leu Ser Asn His Ala Glu Leu Ser Val Thr Leu Ala
332              50              55              60
334 Leu Asp Val Thr Asn Ala Tyr Val Val Gly Tyr Arg Ala Gly Asn Ser
335 65              70              75              80
337 Ala Tyr Phe Phe His Pro Asp Asn Gln Glu Asp Ala Glu Ala Ile Thr
338              85              90              95
340 His Leu Phe Thr Asp Val Gln Asn Arg Tyr Thr Phe Ala Phe Gly Gly
341              100              105              110
343 Asn Tyr Asp Arg Leu Glu Gln Leu Ala Gly Asn Leu Arg Glu Asn Ile
344              115              120              125
346 Glu Leu Gly Asn Gly Pro Leu Glu Glu Ala Ile Ser Ala Leu Tyr Tyr
347              130              135              140
349 Tyr Ser Thr Gly Gly Thr Gln Leu Pro Thr Leu Ala Arg Ser Phe Ile
350 145              150              155              160
352 Ile Cys Ile Gln Met Ile Ser Glu Ala Ala Arg Phe Gln Tyr Ile Glu
353              165              170              175
355 Gly Glu Met Arg Thr Arg Ile Arg Tyr Asn Arg Arg Ser
356              180              185
359 <210> SEQ ID NO: 7
360 <211> LENGTH: 198
361 <212> TYPE: PRT

```

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/083,336

DATE: 03/14/2002

TIME: 12:14:29

Input Set : A:\Ricin.app

Output Set: N:\CRF3\03142002\J083336.raw

L:13 M:270 C: Current Application Number differs, Replaced Application Number  
L:14 M:271 C: Current Filing Date differs, Replaced Current Filing Date  
L:611 M:258 W: Mandatory Feature missing, <220> FEATURE:  
L:611 M:258 W: Mandatory Feature missing, <223> OTHER INFORMATION:

→ requires explanation of genetic source  
error  
See summary sheet, item 11.